

GOVERNMENT OF MEGHALAYA
PLANNING INVESTMENT PROMOTION & SUSTAINABLE DEVELOPMENT DEPARTMENT

No.PLR.33/2022/Pt – II/348

Dated: Shillong, the 21st November, 2024.

To,

The Commissioner & Secretary / Secretary to the Government of Meghalaya,
Tourism Department.

Subject: Model Standard Operating Procedure (SOP) for Mapping Data Layers on the State Master Plan (SMP) portal

Sir,

I am directed to refer to the subject above and to inform you that the PM GatiShakti (PMGS) National Master Plan (NMP) plays a critical role in the integration of economic and infrastructural planning with socio-economic development, improving both Ease of Living and Ease of Doing Business. In order to ensure accurate and integrated planning using the NMP, it is essential for the State Departments to define and upload necessary **data layers / attributes in a standardized manner** along with metadata.

In this connection, a model **Standard Operating Procedure (SOP)** has been developed by DPIIT for the State Master Plan (SMP) portal and the same is enclosed herewith. This SOP includes **data management standards, formats, validation, and update frequencies**, serving as a guideline for states / departments in developing their own SOPs to enhance clarity, collaboration, and efficient data management practices.

Based on the Standard Operating Procedure provided by DPIIT, you are hereby requested to kindly provide Spatial data for “**Tourism Sites**” Mandatory layer in Google Earth (.KML or .KMZ) / AutoCAD Drawing (.CADD) / ESRI GIS Shape file (.SHP) format and the feature attributes as per Annexure – I in Microsoft Excel file (.XLSX) format on the e-mail address: meghalayaeodb@gmail.com.

Further, keeping the verification of the spatial data and attached attributes in view, a **Maker-Checker-Approver mechanism** needs to be adopted. You are therefore requested to nominate such officers from each PM GatiShakti Cell under your Department:

- Data Maker –Equivalent to Field Engineer(~ Upto Superintending Engineer)
- Data Checker –Equivalent to Head of the Cell / Branch (~Upto to Chief Engineer)
- Approver –Equivalent to Head of the Directorate / Agency (~Director or above)

For any queries, you may contact EoDB PMU Team members Mr. Navay Gulati (contact number-9911995689) / Mr Akshay S. (contact number-8714348044) / Mr. Lakshman R. (contact number-7073351972).

Yours faithfully,

Enclo: As stated above.



[R.D.H. Kharlukhi]

Senior Monitoring Officer & *ex-officio*
Deputy Secretary to the Govt. of Meghalaya
Planning, Investment Promotion & Sustainable Development
Department.

Memo No.PLR.33/2022/Pt – II/348-A

Dated: Shillong, the 21st November, 2024.

Copy to:-

1. The P.S. to the Chief Secretary to the Government of Meghalaya, for kind information of the Chief Secretary.
2. The Commissioner & Secretary to the Government of Meghalaya, Planning Investment Promotion & Sustainable Development Department for kind information.
3. The Director, Tourism, Meghalaya, Shillong for kind information and necessary action.

By order etc.,




Senior Monitoring Officer & *ex-officio*
Deputy Secretary to the Govt. of Meghalaya
Planning, Investment Promotion & Sustainable Development
Department.

1. Meghalaya instance of PM GatiShakti - National Master Plan can be accessed at <https://meghalaya.pmgatishakti.gov.in/stategatishakti/login>


Login page for National Master Plan and State Master Plan



One-Time Password (OTP) based sign-in for Government officials



PM GatiShakti State Master Plan Interface



Nominated Makers, Checkers and Approvers are requested to submit the following credentials to the e-mail address meghalayaeodb@gmail.com to obtain a distinct login ID for PM GatiShakti Master Plan:

Name	as per Government records
Phone	+91 12345 67890 (required for OTP-based login)
e-mail	Official Government e-mail ID only (.gov.in or .nic.in)
Department	Tourism Department.
Designation	Please mention Directorate / cell as applicable
Access Rights	Notified Maker / Notified Checker / Notified Approver

The above information will be utilized to create a distinct login instance from BISAG-N

2. Sample Format for mapping of “Tourism sites” Mandatory layer (Point and Polygon geometry) for integration on PM GatiShakti National Master Plan:

Mapping of Layer Geometry: Point and Polygons (Tourism sites)

Sl. No.	Tourism Site ID	City Name	District Name	State	Type of Site	Name of Site	Latitude (Y)	Longitude (X)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
sample	WGH_Rongram _0001	Tura	West Garo Hills	Meghalaya	Religious site	Rongram Temple	25°34'00.7"N or 25.56686289472471	91°53'25.1"E or 91.89029616811044
1								
2								
3								
.								
.								

Note – Mapped layer and attribute information to be provided for each site in case of multiple Tourism sites within a premises.

Reference for filling the data requirement:

A. Options for “Type of site(6)”, please mention:

- i. Central Government
- ii. State Government
- iii. Religious site
- iv. Local site
- v. Others, please specify

B. Options for “Latitude (8)”Y-coordinate and “Longitude (9)” X-coordinate, please provide either:

- i. Accurate reading of coordinates in Degree Minute Seconds (DMS) format.
- ii. Accurate reading of coordinates in Decimal Degree (DD) format.

C. Procedure to manually capture geographic co-ordinates (Latitude and Longitude) is as follows:

- i. Open an internet browser (Google Chrome/Microsoft Internet Explorer/Microsoft Edge/Mozilla Firefox) and go to Google Maps website-
www.maps.google.com/
- ii. Pan and Zoom to the location. Place the mouse cursor at the location of site and click the right mouse button.
- iii. As the side menu opens, use the left mouse button to click on the first option denoted with the co-ordinates. These co-ordinates are decimal numbers and will automatically be copied to the system.
- iv. Use the right mouse button to paste the copied co-ordinates to the soft copy table within respective rows for Latitude and Longitude. Number format and range of co-ordinates is given below:
 - a) **Latitude** from: 25.02253375416164 (25°01'21.12151")
to 26.12109622477314 (26°07'15.94641")
 - b) **Longitude** from: 89.80590801378818 (89°48'21.26885")
to 92.80377633093802 (92°48'13.59479")
- v. While capturing, it is to be ensured that latitude and longitudinal values are accurately mentioned up to 5 decimal places and height of the asset to 2 decimal places.

D. Procedure to create a polygon shape in Google Earth software:

- i. Open Google Earth software on desktop / laptop computer (Visit <https://www.google.com/earth/about/versions/#earth-pro> for download instructions) or open Google Earth on web from an internet explorer (Google Chrome/Microsoft Internet Explorer/Microsoft Edge/Mozilla Firefox) at <https://earth.google.com/> and sign in.
- ii. Pan and Zoom to the desired location (location of the Tourism site) on Google Earth platform.
- iii. On the sidebar, go to “Places” tab. Right-click on “My Places” icon. Within the pop-up, click on “Add” and then click on “Folder” to add a new folder. Rename the newly created folder to the name of the layer to be mapped “Tourism site”.
- iv. Right-click on the newly created folder. From the pop-up, click on “add” and then click on “polygon” to start creating a polygon shape.
- v. Start creating the shape by marking the perimeter of the “Tourism site” by clicking / placing the points on the outer boundary of the desired location.
- vi. Use the double left-click to complete marking the polygon shape. Rename the polygon to the name of the Tourism site mapped.
- vii. Once the polygon shape for the Tourism site is mapped, right-click on the master folder created in step (iii) and click on “Save place as”.
- viii. On the prompt, save the file with appropriate name and date of mapping. The file will be saved in a “.KML” or a “.KMZ” format, which is compatible with PM GatiShakti National Master Plan.

GOVERNMENT OF MEGHALAYA
PLANNING INVESTMENT PROMOTION & SUSTAINABLE DEVELOPMENT DEPARTMENT

No.PLR.33/2022/Pt – II/341

Dated: Shillong, the 21st November, 2024.

To,

The Principal Secretary / Secretary to the Government of Meghalaya,
Arts & Culture Department.

Subject: Model Standard Operating Procedure (SOP) for Mapping Data Layers on the State Master Plan (SMP) portal

Sir,

I am directed to refer to the subject above and to inform you that the PM GatiShakti (PMGS) National Master Plan (NMP) plays a critical role in the integration of economic and infrastructural planning with socio-economic development, improving both Ease of Living and Ease of Doing Business. In order to ensure accurate and integrated planning using the NMP, it is essential for the State Departments to define and upload necessary **data layers / attributes in a standardized manner** along with metadata.

In this connection, a model **Standard Operating Procedure (SOP)** has been developed by DPIIT for the State Master Plan (SMP) portal and the same is enclosed herewith. This SOP includes **data management standards, formats, validation, and update frequencies**, serving as a guideline for states / departments in developing their own SOPs to enhance clarity, collaboration, and efficient data management practices.

Based on the Standard Operating Procedure provided by DPIIT, you are hereby requested to kindly provide Spatial data for “**Archaeological Survey of India (ASI) Sites**” Mandatory layer in Google Earth (.KML or .KMZ) / AutoCAD Drawing (.CADD) / ESRI GIS Shape file (.SHP) format and the feature attributes as per Annexure – I in Microsoft Excel file (.XLSX) format on the e-mail address: meghalayaeodb@gmail.com.

Further, keeping the verification of the spatial data and attached attributes in view, a **Maker-Checker-Approver mechanism** needs to be adopted. You are therefore requested to nominate such officers from each PM GatiShakti Cell under your Department:

- Data Maker –Equivalent to Field Engineer(~ Upto Superintending Engineer)
- Data Checker –Equivalent to Head of the Cell / Branch (~Upto to Chief Engineer)
- Approver –Equivalent to Head of the Directorate / Agency (~Director or above)

For any queries, you may contact EoDB PMU Team members Mr. Navay Gulati (contact number-9911995689) / Mr Akshay S. (contact number-8714348044) / Mr. Lakshman R. (contact number-7073351972).

Yours faithfully,

Enclo: As stated above.


[R.D.H. Kharlukhi]

Senior Monitoring Officer & *ex-officio*
Deputy Secretary to the Govt. of Meghalaya
Planning, Investment Promotion & Sustainable Development
Department.

Memo No.PLR.33/2022/Pt – II/341-A

Dated: Shillong, the 21st November, 2024.

Copy to:-

1. The P.S. to the Chief Secretary to the Government of Meghalaya, for kind information of the Chief Secretary.
2. The Commissioner & Secretary to the Government of Meghalaya, Planning Investment Promotion & Sustainable Development Department for kind information.
3. The Director, Arts & Culture, Meghalaya, Shillong for kind information and necessary action.

By order etc.,



Senior Monitoring Officer & *ex-officio*
Deputy Secretary to the Govt. of Meghalaya
Planning, Investment Promotion & Sustainable Development
Department.

1. Meghalaya instance of PM GatiShakti - National Master Plan can be accessed at <https://meghalaya.pmgatishakti.gov.in/stategatishakti/login>


Login page for National Master Plan and State Master Plan



One-Time Password (OTP) based sign-in for Government officials



PM GatiShakti State Master Plan Interface



Nominated Makers, Checkers and Approvers are requested to submit the following credentials to the e-mail address meghalayaeodb@gmail.com to obtain a distinct login ID for PM GatiShakti Master Plan:

Name	as per Government records
Phone	+91 12345 67890 (required for OTP-based login)
e-mail	Official Government e-mail ID only (.gov.in or .nic.in)
Department	Arts & Culture Department.
Designation	Please mention Directorate / cell as applicable
Access Rights	Notified Maker / Notified Checker / Notified Approver

The above information will be utilized to create a distinct login instance from BISAG-N

2. Sample Format for mapping of “Archaeological Survey of India (ASI) sites” Mandatory layer (Point and Polygon geometry) for integration on PM GatiShakti National Master Plan:

Mapping of Layer Geometry: Point and Polygons (ASI Sites)

Sl. No.	ASI Site ID	City Name	District Name	State	Type of Site	Name of Site	Latitude (Y)	Longitude (X)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
sample	WGH_Rongram_0001	Tura	West Garo Hills	Meghalaya	World Heritage	Rongram Cave	25°34'00.7"N 25.56686289472471	91°53'25.1"E 91.89029616811044
1								
2								
3								
.								
.								

Note – Mapped layer and attribute information to be provided for each building in case of multiple establishments within a Government premises.

Reference for filling the data requirement:

A. Options for “Type of site(6)”, please mention:

- i. Central Government
- ii. State Government
- iii. World heritage
- iv. Built heritage
- v. Museum
- vi. Project Mausam
- vii. Others, please specify

B. Options for “Latitude (8)” Y-coordinate and “Longitude (9)” X-coordinate, please provide either:

- i. Accurate reading of coordinates in Degree Minute Seconds (DMS) format.
- ii. Accurate reading of coordinates in Decimal Degree (DD) format.

C. Procedure to manually capture geographic co-ordinates (Latitude and Longitude) is as follows:

- i. Open an internet browser (Google Chrome/Microsoft Internet Explorer/Microsoft Edge/Mozilla Firefox) and go to Google Maps website-www.maps.google.com/
- ii. Pan and Zoom to the location. Place the mouse cursor at the location of the site and click the right mouse button.
- iii. As the side menu opens, use the left mouse button to click on the first option denoted with the co-ordinates. These co-ordinates are decimal numbers and will automatically be copied to the system.
- iv. Use the right mouse button to paste the copied co-ordinates to the soft copy table within respective rows for Latitude and Longitude. Number format and range of co-ordinates is given below:

a) **Latitude** from: 25.02253375416164 (25°01'21.12151")

to 26.12109622477314 (26°07'15.94641")

b) **Longitude** from: 89.80590801378818 (89°48'21.26885")

to 92.80377633093802 (92°48'13.59479")

- v. While capturing, it is to be ensured that latitude and longitudinal values are accurately mentioned up to 5 decimal places and height of the asset to 2 decimal places.

D. Procedure to create a polygon shape in Google Earth software:

- i. Open Google Earth software on desktop / laptop computer (Visit <https://www.google.com/earth/about/versions/#earth-pro> for download instructions) or open Google Earth on web from an internet explorer (Google Chrome/Microsoft Internet Explorer/Microsoft Edge/Mozilla Firefox) at <https://earth.google.com/> and sign in.
- ii. Pan and Zoom to the desired location (location of the ASI Site) on Google Earth platform.
- iii. On the sidebar, go to “Places” tab. Right-click on “My Places” icon. Within the pop-up, click on “Add” and then click on “Folder” to add a new folder. Rename the newly created folder to the name of the layer to be mapped “ASI Site”.
- iv. Right-click on the newly created folder. From the pop-up, click on “add” and then click on “polygon” to start creating a polygon shape.
- v. Start creating the shape by marking the perimeter of the “ASI Site” by clicking / placing the points on the outer boundary of the desired location.
- vi. Use the double left-click to complete marking the polygon shape. Rename the polygon to the name of the ASI Site mapped.
- vii. Once the polygon shape for the ASI Site is mapped, right-click on the master folder created in step (iii) and click on “Save place as”.
- viii. On the prompt, save the file with appropriate name and date of mapping. The file will be saved in a “.KML” or a “.KMZ” format, which is compatible with PM GatiShakti National Master Plan.

GOVERNMENT OF MEGHALAYA
PLANNING INVESTMENT PROMOTION & SUSTAINABLE DEVELOPMENT DEPARTMENT

No.PLR.33/2022/Pt – II/334

Dated: Shillong, the 21st November, 2024.

To,

All Principal Secretaries / Commissioner & Secretaries / Secretaries to the
Government of Meghalaya.

**Subject: Model Standard Operating Procedure (SOP) for Mapping Data Layers on the
State Master Plan (SMP) portal**

Sir,

I am directed to refer to the subject above and to inform you that the PM GatiShakti (PMGS) National Master Plan (NMP) plays a critical role in the integration of economic and infrastructural planning with socio-economic development, improving both Ease of Living and Ease of Doing Business. In order to ensure accurate and integrated planning using the NMP, it is essential for the State Departments to define and upload necessary **data layers / attributes in a standardized manner** along with metadata.

In this connection, a model **Standard Operating Procedure (SOP)** has been developed by DPIIT for the State Master Plan (SMP) portal and the same is enclosed herewith. This SOP includes **data management standards, formats, validation, and update frequencies**, serving as a guideline for states / departments in developing their own SOPs to enhance clarity, collaboration, and efficient data management practices.

Based on the Standard Operating Procedure provided by DPIIT, you are hereby requested to kindly provide Spatial data for “**Government Buildings**” Mandatory layer in Google Earth (.KML or .KMZ) / AutoCAD Drawing (.CADD) / ESRI GIS Shape file (.SHP) format and the feature attributes as per Annexure – I in Microsoft Excel file (.XLSX) format on the e-mail address: meghalayaeodb@gmail.com.

Further, keeping the verification of the spatial data and attached attributes in view, a **Maker-Checker-Approver mechanism** needs to be adopted. You are therefore requested to nominate such officers from each PM GatiShakti Cell under your Department:

- Data Maker –Equivalent to Field Engineer(~ Upto Superintending Engineer)
- Data Checker –Equivalent to Head of the Cell / Branch (~Upto to Chief Engineer)
- Approver –Equivalent to Head of the Directorate / Agency (~Director or above)

For any queries, you may contact EoDB PMU Team members Mr. Navay Gulati (contact number-9911995689) / Mr Akshay S. (contact number-8714348044) / Mr. Lakshman R. (contact number-7073351972).

Yours faithfully,

Enclo: As stated above.


[R.D.H. Kharlukhi]

Senior Monitoring Officer & *ex-officio*
Deputy Secretary to the Govt. of Meghalaya
Planning, Investment Promotion & Sustainable Development
Department.

Memo No.PLR.33/2022/Pt – II/334-A

Dated: Shillong, the 21st November, 2024.

Copy to:-

1. The P.S. to the Chief Secretary to the Government of Meghalaya, for kind information of the Chief Secretary.
2. The Commissioner & Secretary to the Government of Meghalaya, Planning Investment Promotion & Sustainable Development Department for kind information.
3. All Heads of Departments, Government of Meghalaya, for kind information and necessary action.

By order etc.,




Senior Monitoring Officer & *ex-officio*
Deputy Secretary to the Govt. of Meghalaya
Planning, Investment Promotion & Sustainable Development
Department.

1. Meghalaya instance of PM GatiShakti - National Master Plan can be accessed at <https://meghalaya.pmgatishakti.gov.in/stategatihakti/login>


Login page for National Master Plan and State Master Plan



One-Time Password (OTP) based sign-in for Government officials



PM GatiShakti State Master Plan Interface



Nominated Makers, Checkers and Approvers are requested to submit the following credentials to the e-mail address meghalayaeodb@gmail.com to obtain a distinct login ID for PM GatiShakti Master Plan:

Name	as per Government records
Phone	+91 12345 67890 (required for OTP-based login)
e-mail	Official Government e-mail ID only (.gov.in or .nic.in)
Department	Please mention Department name
Designation	Please mention Directorate / cell as applicable
Access Rights	Notified Maker / Notified Checker / Notified Approver

The above information will be utilized to create a distinct login instance from BISAG-N

2. Sample Format for mapping of “Government Buildings” Mandatory layer and Street Furniture layer (Point and Polygon geometry) for integration on PM GatiShakti National Master Plan:

Mapping of Layer Geometry: Point and Polygons (Government Buildings)

Sl. No.	Government Building ID	City Name	District Name	State	Type	Height [m]	Latitude (Y)	Longitude (X)	Street Furniture Type	Street Furniture Name	Authority Name	Structure of Street Furniture	Street Furniture Class	Street Furniture Sub- Class
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
sample	WGH_Rongram_0001	Tura	West Garo Hills	Meghalaya	Govt.	4.000	25°34'00.7"N or 25.56686289472471	91°53'25.1"E or 91.89029616811044	Government Building	Tura Regional office, Meghalaya Transport Corporation	Meghalaya Transport Corporation	R.C.C.	State Government	Transport Department
1														
2														
3														
.														
.														

Note – Mapped layer and attribute information to be provided for each building in case of multiple establishments within a Government premises.

Reference for filling the data requirement:

- A. Options for "Type (6)", please mention Authority:
 - i. Government
 - ii. Undertaking
 - iii. Urban Local Body
 - iv. Private
 - v. Others, please specify
- B. Options for "Latitude (8)" Y-coordinate and "Longitude (9)" X-coordinate, please provide either:
 - i. Accurate reading of coordinates in Degree Minute Seconds (DMS) format.
 - ii. Accurate reading of coordinates in Decimal Degree (DD) format.
- C. For "Structure of Street Furniture (13)", please mention structure of Government Building.
 - i. Assam-Type
 - ii. Reinforced Cement Concrete (R.C.C.)
 - iii. Steel Fabrication
 - iv. Others, please specify
- D. For "Street Furniture Class (14)", please mention the name of the Central Ministry / State Government.
- E. For "Street Furniture Sub-class (15)", please mention the Directorate and the Department.
- F. Procedure to manually capture geographic co-ordinates (Latitude and Longitude) is as follows:
 - i. Open an internet browser (Google Chrome/Microsoft Internet Explorer/Microsoft Edge/Mozilla Firefox) and go to Google Maps website- www.maps.google.com/
 - ii. Pan and Zoom to the location. Place the mouse cursor at the location of premises and click the right mouse button.
 - iii. As the side menu opens, use the left mouse button to click on the first option denoted with the co-ordinates. These co-ordinates are decimal numbers and will automatically be copied to the system.
 - iv. Use the right mouse button to paste the copied co-ordinates to the soft copy table within respective rows for Latitude and Longitude. Number format and range of co-ordinates is given below:
 - a) **Latitude** from: 25.02253375416164 (25°01'21.12151")
to 26.12109622477314 (26°07'15.94641")
 - b) **Longitude** from: 89.80590801378818 (89°48'21.26885")
to 92.80377633093802 (92°48'13.59479")

- v. While capturing, it is to be ensured that latitude and longitudinal values are accurately mentioned up to 5 decimal places and height of the asset to 2 decimal places.

G. Procedure to create a polygon shape in Google Earth software:

- i. Open Google Earth software on desktop / laptop computer (Visit <https://www.google.com/earth/about/versions/#earth-pro> for download instructions) or open Google Earth on web from an internet explorer (Google Chrome/Microsoft Internet Explorer/Microsoft Edge/Mozilla Firefox) at <https://earth.google.com/> and sign in.
- ii. Pan and Zoom to the desired location (location of the Government Building) on Google Earth platform.
- iii. On the sidebar, go to “Places” tab. Right-click on “My Places” icon. Within the pop-up, click on “Add” and then click on “Folder” to add a new folder. Rename the newly created folder to the name of the layer to be mapped “Government Building”.
- iv. Right-click on the newly created folder. From the pop-up, click on “add” and then click on “polygon” to start creating a polygon shape.
- v. Start creating the shape by marking the perimeter of the “Government Building” by clicking / placing the points on the outer boundary of the desired location.
- vi. Use the double left-click to complete marking the polygon shape. Rename the polygon to the name of the Government Building mapped.
- vii. Once the polygon shape for the Government Building is mapped, right-click on the master folder created in step (iii) and click on “Save place as”.
- viii. On the prompt, save the file with appropriate name and date of mapping. The file will be saved in a “.KML” or a “.KMZ” format, which is compatible with PM GatiShakti National Master Plan.

GOVERNMENT OF MEGHALAYA
PLANNING INVESTMENT PROMOTION & SUSTAINABLE DEVELOPMENT DEPARTMENT

No.PLR.33/2022/Pt – II/328

Dated: Shillong, the 21st November, 2024.

To,

The Commissioner & Secretary to the Government of Meghalaya,
Food Civil Supplies & Consumer Affairs Department.

Subject: Model Standard Operating Procedure (SOP) for Mapping Data Layers on the State Master Plan (SMP) portal

Sir,

I am directed to refer to the subject above and to inform you that the PM GatiShakti (PMGS) National Master Plan (NMP) plays a critical role in the integration of economic and infrastructural planning with socio-economic development, improving both Ease of Living and Ease of Doing Business. In order to ensure accurate and integrated planning using the NMP, it is essential for the State Departments to define and upload necessary **data layers / attributes in a standardized manner** along with metadata.

In this connection, a model **Standard Operating Procedure (SOP)** has been developed by DPIIT for the State Master Plan (SMP) portal and the same is enclosed herewith. This SOP includes **data management standards, formats, validation, and update frequencies**, serving as a guideline for states / departments in developing their own SOPs to enhance clarity, collaboration, and efficient data management practices.

Based on the Standard Operating Procedure provided by DPIIT, you are hereby requested to kindly provide Spatial data for **“Petrol and Diesel outlets”** Mandatory layer in Google Earth (.KML or .KMZ) / AutoCAD Drawing (.CADD) / ESRI GIS Shapefile (.SHP) format and the feature attributes as per Annexure – I in Microsoft Excel file (.XLSX) format on the e-mail address: meghalayaeodb@gmail.com.

Further, keeping the verification of the spatial data and attached attributes in view, a **Maker-Checker-Approver mechanism** needs to be adopted. You are therefore requested to nominate such officers from each PM GatiShakti Cell under your Department:

- Data Maker –Equivalent to Field Engineer(~ Upto Superintending Engineer)
- Data Checker –Equivalent to Head of the Cell / Branch (~Upto to Chief Engineer)
- Approver –Equivalent to Head of the Directorate / Agency (~Director or above)

For any queries, you may contact EoDB PMU Team members Mr. Navay Gulati (contact number-9911995689) / Mr Akshay S. (contact number-8714348044) / Mr. Lakshman R. (contact number-7073351972).

Yours faithfully,

Enclo: As stated above.


[R.D.H. Kharlukhi]

Senior Monitoring Officer & *ex-officio*
Deputy Secretary to the Govt. of Meghalaya
Planning, Investment Promotion & Sustainable Development
Department.

Memo No.PLR.33/2022/Pt – II/328-A

Dated: Shillong, the 21st November, 2024.

Copy to:-

1. The P.S. to the Chief Secretary to the Government of Meghalaya, for kind information of the Chief Secretary.
2. The Commissioner & Secretary to the Government of Meghalaya, Planning Investment Promotion & Sustainable Development Department for kind information.
3. The Director, Food Civil Supplies & Consumer Affairs, Meghalaya, Shillong for kind information and necessary action.

By order etc.,




Senior Monitoring Officer & ex-officio
Deputy Secretary to the Govt. of Meghalaya
Planning, Investment Promotion & Sustainable Development
Department.

1. Meghalaya instance of PM GatiShakti - National Master Plan can be accessed at <https://meghalaya.pmgatishakti.gov.in/stategatishakti/login>


Login page for National Master Plan and State Master Plan



One-Time Password (OTP) based sign-in for Government officials



PM GatiShakti State Master Plan Interface



Nominated Makers, Checkers and Approvers are requested to submit the following credentials to the e-mail address meghalayaeodb@gmail.com to obtain a distinct login ID for PM GatiShakti Master Plan:

Name	as per Government records
Phone	+91 12345 67890 (required for OTP-based login)
e-mail	Official Government e-mail ID only (.gov.in or .nic.in)
Department	Food Civil Supplies & Consumer Affairs Department
Designation	Please mention Directorate / cell as applicable
Access Rights	Notified Maker / Notified Checker / Notified Approver

The above information will be utilized to create a distinct login instance from BISAG

2. Sample Format for mapping of “Petrol / Diesel outlets” Mandatory layer(Point geometry) for integration on PM GatiShakti National Master Plan:

Mapping of Layer Geometry: Point (Petrol / Diesel outlet)

Sl. No.	Petrol /Diesel Outlet ID	City Name	District Name	State	Fuel Type	Density (Kg/m ³)	Capacity (KL)	Year of Commission	Latitude (Y)	Longitude (X)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
sample	EKH_Mylliem_0001	Shillong	East Khasi Hills	Meghalaya	Petrol	750	25000	1947	25°34'00.7"N or 25.5668628947247 1	91°53'25.1"E or 91.89029616811 044
1										
2										
3										
.										
.										

Note – Mapped point and attribute information to be provided for each fuel type within a premises.

Reference for filling the data requirement:

- A. Options for "Fuel Type (6)":
 - i. Petrol
 - ii. Diesel
 - iii. Others, please specify
- B. Options for "Latitude (10)" Y-coordinate and "Longitude (11)" X-coordinate, please provide either:
 - i. Accurate reading of coordinates in Degree Minute Seconds (DMS) format.
 - ii. Accurate reading of coordinates in Decimal Degree (DD) format.
- C. Procedure to manually capture geographic co-ordinates (Latitude and Longitude) is as follows:
 - i. Open an internet browser (Google Chrome/Microsoft Internet Explorer/Microsoft Edge/Mozilla Firefox) and go to Google Maps website- www.maps.google.com/
 - ii. Pan and Zoom to the location. Place the mouse cursor at the location of petrol / diesel outlet and click the right mouse button.
 - iii. As the side menu opens, use the left mouse button to click on the first option denoted with the co-ordinates. These co-ordinates are decimal numbers and will automatically be copied to the system.
 - iv. Use the right mouse button to paste the copied co-ordinates to the soft copy table within respective rows for Latitude and Longitude. Number format and range of co-ordinates is given below:
 - a) **Latitude** from: 25.02253375416164 (25°01'21.12151") to 26.12109622477314 (26°07'15.94641")
 - b) **Longitude** from: 89.80590801378818 (89°48'21.26885") to 92.80377633093802 (92°48'13.59479")
 - v. While capturing, it is to be ensured that latitude and longitudinal values are accurately mentioned up to 5 decimal places and height of the asset to 2 decimal places.

GOVERNMENT OF MEGHALAYA
PLANNING INVESTMENT PROMOTION & SUSTAINABLE DEVELOPMENT DEPARTMENT

No.PLR.33/2022/Pt – II/309

Dated: Shillong, the 21st November, 2024.

To,

The Commissioner & Secretary to the Government of Meghalaya,
Transport Department.

Subject: Model Standard Operating Procedure (SOP) for Mapping Data Layers on the State Master Plan (SMP) portal

Sir,

I am directed to refer to the subject above and to inform you that the PM GatiShakti (PMGS) National Master Plan (NMP) plays a critical role in the integration of economic and infrastructural planning with socio-economic development, improving both Ease of Living and Ease of Doing Business. In order to ensure accurate and integrated planning using the NMP, it is essential for the State Departments to define and upload necessary **data layers / attributes in a standardized manner** along with metadata.

In this connection, a model **Standard Operating Procedure (SOP)** has been developed by DPIIT for the State Master Plan (SMP) portal and the same is enclosed herewith. This SOP includes **data management standards, formats, validation, and update frequencies**, serving as a guideline for states / departments in developing their own SOPs to enhance clarity, collaboration, and efficient data management practices.

Based on the Standard Operating Procedure provided by DPIIT, you are hereby requested to kindly provide Spatial data for “Traffic Lights” Mandatory layer in Google Earth (.KML or .KMZ) / AutoCAD Drawing (.CADD) / ESRI GIS Shapefile (.SHP) format and the feature attributes as per Annexure – I in Microsoft Excel file (.XLSX) format to the e-mail address: meghalayaeodb@gmail.com.

Further, keeping the verification of the spatial data and attached attributes in view, a **Maker-Checker-Approver mechanism** needs to be adopted. You are therefore requested to nominate such officers from each PM GatiShakti Cell under your Department:

- Data Maker –Equivalent to Field Engineer(~ Upto Superintending Engineer)
- Data Checker –Equivalent to Head of the Cell / Branch (~Upto to Chief Engineer)
- Approver –Equivalent to Head of the Directorate / Agency (~Director or above)

For any queries, you may contact EoDB PMU Team members Mr. Navay Gulati (contact number-9911995689) / Mr Akshay S. (contact number-8714348044) / Mr. Lakshman R. (contact number-7073351972).

Yours faithfully,

Encl: As stated above.


[R.D.H. Kharlukhi]

Senior Monitoring Officer & ex-officio
Deputy Secretary to the Govt. of Meghalaya
Planning, Investment Promotion & Sustainable Development
Department.

Memo No.PLR.33/2022/Pt – II/309-A

Dated: Shillong, the 21st November, 2024.

Copy to:-

1. The P.S. to the Chief Secretary to the Government of Meghalaya, for kind information of the Chief Secretary.
2. The Commissioner & Secretary to the Government of Meghalaya, Planning Investment Promotion & Sustainable Development Department for kind information.
3. The Commissioner of Transport, Meghalaya, Shillong for kind information and necessary action.

By order etc.,




Senior Monitoring Officer & ex-officio
Deputy Secretary to the Govt. of Meghalaya
Planning, Investment Promotion & Sustainable Development
Department.

1. Meghalaya instance of PM GatiShakti - National Master Plan can be accessed at <https://meghalaya.pmgatishakti.gov.in/stategatishakti/login>


Login page for National Master Plan and State Master Plan



One-Time Password (OTP) based sign-in for Government officials



PM GatiShakti State Master Plan Interface



Nominated Makers, Checkers and Approvers are requested to submit the following credentials to the e-mail address meghalayaeodb@gmail.com to obtain a distinct login ID for PM GatiShakti Master Plan:

Name	as per Government records
Phone	+91 12345 67890 (required for OTP-based login)
e-mail	Official Government e-mail ID only (.gov.in or .nic.in)
Department	Transport Department
Designation	Please mention Directorate / cell as applicable
Access Rights	Notified Maker / Notified Checker / Notified Approver

The above information will be utilized to create a distinct login instance from BISAG

Reference for filling the data requirement:

- A. Options for “Type (6)”, please mention Authority:
 - i. Government
 - ii. Undertaking
 - iii. Urban Local Body
 - iv. Others, please specify
- B. Options for “Latitude (8)” Y-coordinate and “Longitude (9)” X-coordinate, please provide either:
 - i. Accurate reading of coordinates in Degree Minute Seconds (DMS) format.
 - ii. Accurate reading of coordinates in Decimal Degree (DD) format.
- C. For “Structure of Street Furniture (13)”, please mention make of traffic light pole.
- D. For “Street Furniture Class (14)”, please mention the name of the Central Ministry / State Government.
- E. For “Street Furniture Sub-class (15)”, please mention the Directorate and the Department.
- F. Procedure to manually capture geographic co-ordinates (Latitude and Longitude) is as follows:
 - i. Open an internet browser (Google Chrome/Microsoft Internet Explorer/Microsoft Edge/Mozilla Firefox) and go to Google Maps website- www.maps.google.com/
 - ii. Pan and Zoom to the location. Place the mouse cursor at the location of traffic light pole and click the right mouse button.
 - iii. As the side menu opens, use the left mouse button to click on the first option denoted with the co-ordinates. These co-ordinates are decimal numbers and will automatically be copied to the system.
 - iv. Use the right mouse button to paste the copied co-ordinates to the soft copy table within respective rows for Latitude and Longitude. Number format and range of co-ordinates is given below:
 - a) **Latitude** from: **25.02253375416164 (25°01'21.12151")** to **26.12109622477314 (26°07'15.94641")**
 - b) **Longitude** from: **89.80590801378818 (89°48'21.26885")** to **92.80377633093802 (92°48'13.59479")**
 - v. While capturing, it is to be ensured that latitude and longitudinal values are accurately mentioned up to 5 decimal places and height of the asset to 2 decimal places.